QUEST AUTOMOTIVE PRODUCTS

SAFETY DATA SHEET

1. Identification

Product Identifier

1 oz Hardener - Black

Other means of identification

Product Code

27037

Recommended use

Cream Hardener, Polymer Reaction Catalyst

Manufacturer/importer/Supplier/Distributor Information

Manufacturer

Company name

Quest Automotive Products

Address

600 Nova Drive SE

Massillon, OH 44646

United States

Telephone

General Assistance

(330) 830-6000

E-mail Contact person rpandrus@quest-ap.com Ron Andrus

Emergency phone number

CHEMTREC

(800) 424-9300

2. Hazard(s) identification

Physical hazards

Organic peroxides

Type E

Health hazards

Serious eye damage/eye irritation

Category 2B

Sensitization, skin

Category 1

Environmental hazards

Hazardous to the aquatic environment, acute

Category 1

nazar

Hazardous to the aquatic environment,

Category 4

OSHA defined hazards

Not classified.

long-term hazard

Label elements



Signal word

Warning

Hazard statement

Heating may cause a fire. May cause an allergic skin reaction. Causes eye irritation. Very toxic to aquatic life.

Precautionary statement

Prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep/Store away from clothing and other combustible materials. Keep only in original container. Avoid breathing dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves/eye protection/face protection.

Response

If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Wash contaminated clothing before reuse. Collect spillage.

Storage

Protect from sunlight. Store at temperatures not exceeding 25°C / 77°F. Keep cool. Store away from other materials.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information

None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Benzoyl peroxide		94-36-0	40 to <50
Zinc Stearate		557-05-1	5 to <10
Calcium Sulfate Dihydrate		7778-18-9	1 to <5
Other components below reportable le	evels		40 to <50

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret,

4. First-aid measures

Inhalation Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

cause an allergic skin reaction. Dermatitis. Rash.

eczema or other skin disorders: Seek medical attention and take along these instructions.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort. May

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

General information

media

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters

Fire fighting equipment/instructions

eduibusinguisuncuous

Specific methods

General fire hazards

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Withdraw immediately in case of rising sound from venting safety device or any discoloration of tanks due to fire.

Use standard firefighting procedures and consider the hazards of other involved materials.

Heating may cause a fire.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent product from entering drains. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid release to the environment, Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

7. Handling and storage

Precautions for safe handling

When using do not smoke. Keep away from clothing and other combustible materials. Keep away from heat, sparks and open flame. Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame. Store in a cool, dry place out of direct sunlight. Keep only in the original container. Store away from other materials.

8. Exposure controls/personal protection

Occupational exposure limits

Components	Туре	Value	Form
Benzoyl peroxide (CAS 94-36-0)	PEL	5 mg/m3	
Calcium Sulfate Dihydrate (CAS 7778-18-9)	PEL	5 mg/m3	Respirable fraction,
•		15 mg/m3	Total dust.
Zinc Stearate (CAS 557-05-1)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
US. ACGIH Threshold Limit			_
Components	Type	Value	Form
Benzoyl peroxide (CAS 94-36-0)	TWA	5 mg/m3	1
Calcium Sulfate Dihydrate (CAS 7778-18-9)	TWA	10 mg/m3	Inhalable fraction.
Zinc Stearate (CAS 557-05-1)	TWA	10 mg/m3	
US. NIOSH: Pocket Guide to	Chemical Hazards		
Components	Туре	Value	Form
Benzoyl peroxide (CAS 94-36-0)	TWA	5 mg/m3	,
Calcium Sulfate Dihydrate (CAS 7778-18-9)	TWA	5 mg/m3	Respirable.
		10 mg/m3	Total
Zinc Stearate (CAS 557-05-1)	TWA	5 mg/m3	Respirable.
		10 mg/m3	Total
logical limit values	No biological exposure limits noted f	or the ingredient(s).	
osure guidelines	Occupational Exposure Limits are no	ot relevant to the current physic	cal form of the product.
oropriate engineering trols	Good general ventilation (typically 10 should be matched to conditions. If a or other engineering controls to mair exposure limits have not been estable yewash station.	applicable, use process enclos atain airborne levels below reco	ures, local exhaust ventilation ommended exposure limits. If
	such as personal protective equipm		
Eye/face protection	Wear safety glasses with side shield	s (or goggles).	
Skin protection Hand protection	Wear appropriate chemical resistant supplier.	gloves. Suitable gloves can be	e recommended by the glove
Other	Wear appropriate chemical resistant	clothing	
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.		
izeohii atotă bioteoriott	mi vass of illantificiati Actiniation! Ass	αι ουκανίο τοομικαίοι γ συμίμητε	iii,

General hygiene considerations

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance

Physical state

Solid.

Form

Solid, Paste Paste.

Color

Black.

Odor

Not available.

Odor threshold

Not available.

Not available.

Melting point/freezing point Initial boiling point and boiling

Not available. Not available.

range

Flash point

Not available.

Evaporation rate

Not available.

Flammability (solid, gas)

Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

Not available.

(%)

Flammability limit - upper

Explosive limit - lower (%)

Not available.

Explosive limit - upper (%)

Not available.

Vapor pressure

0.0002 hPa estimated

Vapor density

Not available.

Relative density

Not available.

Solubliity(ies)

Solubility (water)

Not available.

Partition coefficient

(n-octanol/water)

Not available.

Auto-Ignition temperature Decomposition temperature Not available. 122 °F (50 °C) SADT

Viscosity

Not available.

Other Information

Density

9.98 lbs/gal

Percent volatile

20 % estimated

Specific gravity

1.2

10. Stability and reactivity

Reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability

Material is stable under normal conditions.

Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources. Sunlight. Contact with incompatible

materials.

Incompatible materials

Acids. Strong oxidizing agents. Combustible material. Amines. Alcohols.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

information on likely routes of exposure

inhalation

No adverse effects due to inhalation are expected.

Skin contact

May cause an allergic skin reaction.

Eye contact

Causes eye irritation.

Ingestion

Expected to be a low Ingestion hazard.

Symptoms related to the

physical, chemical and toxicological characteristics Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort. May

cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

Acute toxicity

May cause an allergic skin reaction.

Components

Species

Test Results

Benzovl peroxide (CAS 94-36-0)

Acute Oral

LD50

Rat

7710 ma/ka

* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation

Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

Causes eye irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization

Not a respiratory sensitizer.

Skin sensitization

May cause an allergic skin reaction.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Benzoyl peroxide (CAS 94-36-0)

3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

Not classified.

repeated exposure Aspiration hazard

Not an aspiration hazard.

12. Ecological information

Ecotoxicity

Very toxic to aquatic life.

Components

Species

Test Results

Calcium Sulfate Dihydrate (CAS 7778-18-9)

Aquatic

Fish

LC50

Fathead minnow (Pimephales promelas) > 1970 mg/l, 96 hours

* Estimates for product may be based on additional component data not shown.

Persistence and degradability

No data is available on the degradability of this product.

Bloaccumulative potential

Partition coefficient n-octanol / water (log Kow)

Benzoyl peroxide

3.46

Mobility in soil

No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

Malerial name: 1 oz Hardener - Black 27037 Version #: 01 Issue date: 04-28-2015 SDS US

5/9

13. Disposal considerations

Disposal instructions

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations Hazardous waste code

Dispose in accordance with all applicable regulations.

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal,

14. Transport information

DOT

UN number

UN3108

UN proper shipping name

Environmentally hazardous substances, solid, n.o.s. (<52% Dibenzoyl Peroxide as a paste)

(Benzoyl peroxide)

Transport hazard class(es)

Class

5.2

Subsidiary risk

5.2

Label(s) Packing group

П

Environmental hazards

Marine pollutant

Yes

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IATA

UN number

UN proper shipping name Transport hazard class(es) Organic peroxide type E, solid (<52% Dibenzoyl Peroxide as a paste)

Class

5.2

Subsidiary risk

Packing group

Not applicable.

Environmental hazards

Yeş

ERG Code

Other Information

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Passenger and cargo

Allowed.

aircraft

Cargo aircraft only

Allowed.

IMDG

UN number

UN3108

UN proper shipping name Transport hazard class(es) ORGANIC PEROXIDE TYPE E, SOLID (<52% Dibenzoyl Peroxide as a paste)

Class

5.2

Subsidiary risk

Packing group

Not applicable.

Environmental hazards

Marine pollutant

Yes

F-J,S-R

Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Transport in bulk according to

Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

DOT; IATA



IMDG



Marine pollutant



15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Zinc Stearate (CAS 557-05-1)

Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - Yes

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

No

chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
Benzoyl peroxide	94-36-0	40 to <50
Zinc Stearate	557-05-1	5 to <10

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

US. Massachusetts RTK - Substance List

Benzoyl peroxide (CAS 94-36-0)

Calcium Sulfate Dihydrate (CAS 7778-18-9)

Zinc Stearate (CAS 557-05-1)

US. New Jersey Worker and Community Right-to-Know Act

Benzoyl peroxide (CAS 94-36-0)

Calcium Sulfate Dihydrate (CAS 7778-18-9)

Zinc Stearate (CAS 557-05-1)

US. Pennsylvania Worker and Community Right-to-Know Law

Benzoyl peroxide (CAS 94-36-0)

Calcium Sulfate Dihydrate (CAS 7778-18-9)

Zinc Stearate (CAS 557-05-1)

US. Rhode Island RTK

Benzoyl peroxide (CAS 94-36-0) Zinc Stearate (CAS 557-05-1)

US, California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
AA Washindianian that all annea.	manufactural and the control of the	

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date

04-28-2015

Version #

01

HMIS® ratings

Health: 2

Flammability: 0 Physical hazard: 2 Personal protection: D

NFPA ratings

Health: 2 Flammability: 0 Instability: 2

Disclaimer

The information in the sheet was written based on the best knowledge and experience currently available. THE INFORMATION CONTAINED HEREIN IS BASED ON DATA BELIEVED TO BE RELIABLE AND THE MANUFACTURER DISCLAIMS ANY LIABILITY INCURRED FROM THE USE OR RELIANCE UPON THE SAME. THE INFORMATION GIVEN IS DESIGNED ONLY AS A GUIDANCE FOR SAFE HANDLING, USE, PROCESSING, STORAGE, TRANSPORTATION, DISPOSAL AND RELEASE AND IS NOT TO BE CONSIDERED A WARRANTY OR QUALITY SPECIFICATION. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This safety information is not a license to use this material as claimed by any patents of third parties. The user alone must finally determine whether a contemplated use of this material will infringe any such patents, and for obtaining any required licenses.